



TAS曲线图

TAS Curve


TAS200




TAS225




TAS315




TAS250




TAS280




TAS355




TAS400




TAS450




TAS500




TAS560




TAS630




TAS710




TAS800



TAS900




TAS1000




风机安装尺寸 Installation Dimensions

1.TAS-RFC1结构尺寸 1. TAS-RFC1 installation dimension



Model	A	B	C	D	E	F	G	H	I	J	K	L	φV1	φV2	φV3	M	N	φd1	φd2	t	Z	P	UxS
200	146	181	216	57	200	310	347	183	218	249	375	298	202	223	242	4	37	20	20	6	22.8	32	11x16
225	162	197	232	55	225	352	386	206	245	281	419	312	228	250	268	3	34	20	20	6	22.8	32	11x16
250	180	205	230	83	224	383	418	224	271	315	460	348	250	274	290	3	35	25	25	8	28.3	40	11x16
280	205	235	265	84	280	432	466	252	304	355	518	390	286	314	332	3	34	30	30	8	33.3	40	13x18
315	230	260	290	84	280	480	518	282	342	400	578	414	320	356	380	1	38	30	30	8	33.3	40	13x18
355	254	294	334	93	355	548	578	318	385	450	654	457	362	397	420	4	30	35	35	10	38.3	50	13x18
400	280	320	360	93	355	612	650	360	433	504	736	484	410	438	464	4	38	35	35	10	38.3	50	13x18
450	310	350	390	115	530	681	726	404	487	562	827	536	457	490	520	4	45	35	40	10	38.3	63	13x18
500	340	390	440	119	530	771	800	448	543	632	918	550	506	546	570	2	29	35	40	10	38.3	63	13x18
560	378	428	478	133	530	844	892	502	605	712	1030	633	570	600	636	5	48	40	50	12	43.3	80	13x18
630	440	490	540	133	530	945	1012	564	681	800	1157	698	641	680	710	6	67	40	50	12	43.3	80	13x18
710	490	540	590	141	630	1057	1134	636	767	902	1302	763	709	762	800	7	77	45	50	14	48.8	80	17x22
800	540	590	640	141	710	1180	1272	714	864	1003	1468	821	801	860	900	7	92	50	55	14	53.8	90	17x22
900	600	650	690	168	800	1319	1427	804	972	1120	1648	907	906	966	1006	7	108	50	55	14	53.8	110	17x22
1000	665	715	765	169	900	1450	1559	884	1068	1250	1810	974	1016	1074	1110	9	109	50	60	16	59.8	110	17x22

2.TAS-DK结构尺寸
2.TAS-DK Installation Dimension



进出风口尺寸
Inlet and outlet dimensions

Model	出风口尺寸							进风口尺寸	
	A1	A2	A3	B1	B2	B3	n1-d1	D1	n2-d2
200	250	280	310	147	177	207	8-φ10.5	φ200	6-φ7
225	282	312	342	163	193	223		φ226	
250	316	346	376	181	211	241		φ254	
280	356	386	416	206	236	266		φ290	6-φ10
315	402	432	462	231	261	291		φ324	
355	451	481	511	255	285	315	8-φ10	φ366	
400	503	533	563	281	311	341		φ414	
450	563	593	623	311	341	371		φ461	

外形安装尺寸
Installation dimensions


Model	电机机座号	外形安装尺寸																
		L max	H1	H2	H3	H4	h1	h2	h3	h4	E1	E2	E3	E4	E5	E5 (270)	E6	n3-d3
200	80M	461	418	354	438	368	270	190	190	190	342	396	164	215	150	120	240	4- φ10
225	80M/90S/90L	517	458	390	485	412	290	210	210	210	382	443	180	215	150	120	240	4- φ10
250	80M/90S/90L	535	502	430	537	459	316	236	236	236	417	486	194	215	150	120	240	4- φ10
280	80M/90S/90L/100L	613	557	477	592	506	349	263	258	256	464	541	214	255	230	200	280	4- φ10
315	80M/90S/90L/100L	649	621	530	655	559	388	294	283	278	517	605	236	255	230	200	280	4- φ10
355	80M/90S/90L/100L	673	694	601	727	630	431	330	313	313	588	677	271	255	230	200	280	4- φ10
400	80M/90S/90L/100L 112M/132S	739	774	659	809	688	479	369	345	332	646	759	290	330	230	200	355	4- φ10
450	80M/90S/90L/100L 112M/132S/132M	785	866	736	901	765	533	414	383	364	723	851	322	330	230	200	355	4- φ10

** 不同品牌的电机长度不同 "Lmax" 不同 Different motor band the dimension 'Lmax' is different

90°、180°和270°除图中标示出的尺寸外，其余与0°相同

Except to the size of the diagram of 90°, 180° and 270°, the rest is the same as the 0°


3.TAS-RF结构尺寸
3. TAS-RF installation dimension



Model	motor	A	B	C	E	F	G	H	I	J	K	*M	ΦV1	ΦV2	ΦV3	M	N	UxS
200	0.55-2	146	181	216	200	310	347	183	218	249	375	298	202	223	242	4	37	11x16
225	0.55-2	162	197	232	225	352	386	206	245	281	419	312	228	250	268	3	34	11x16
250	0.75-2	180	205	230	224	383	418	224	271	315	460	343	250	274	290	3	35	11x16
280	1.1-2	205	235	265	280	432	466	252	304	355	518	350	286	314	332	3	34	13x18
315	2.2-2	230	260	290	280	480	518	282	342	400	578	405	320	356	380	1	38	13x18
355	3-2	254	294	334	355	548	578	318	385	450	654	462	362	397	420	4	30	13x18
400	5.5-2	280	320	360	355	612	650	360	433	504	736	544	410	438	464	4	38	13x18
450	1.5-4	310	350	390	530	681	726	404	487	562	827	446	457	490	520	4	45	13x18
500	2.2-4	340	390	440	530	771	800	448	543	632	918	507	506	546	570	2	29	13x18
560	4-4	378	428	478	530	844	892	502	605	712	1030	530	570	600	636	5	48	13x18
630	7.5-4	440	490	540	530	945	1012	564	681	800	1157	663	641	680	710	6	67	13x18
710	7.5-4	490	540	590	630	1057	1134	636	767	902	1302	689	709	762	800	7	77	17x22
800	7.5-4	540	590	640	710	1180	1272	714	864	1003	1468	750	801	860	900	7	92	17x22
900	7.5-4	600	650	690	800	1319	1427	804	972	1120	1648	855	906	966	1006	7	108	17x22
1000	7.5-4	665	715	765	900	1450	1559	884	1068	1250	1810	1041	1016	1074	1110	9	109	17x22

**不同品牌的电机长度不同 “*m” 不同 Different motor band the dimension “*m” is different

4.TAS-RF结构尺寸
4.TAS-RF Installation Dimension




Model	motor	A	B	C	E	F	G	H	I	J	K	P	Q	T	*M	ΦV1	ΦV2	ΦV3	M	N	UxS	n-φd
200	0.55-2	146	181	391	200	310	347	183	218	249	375	50	150	180	298	202	223	242	4	37	11x16	4-φ11
225	0.55-2	162	197	407	225	352	386	206	245	281	419	50	150	180	312	228	250	268	3	34	11x16	
250	0.75-2	180	205	405	224	383	418	224	271	315	460	68	150	180	343	250	274	290	3	35	11x16	
280	1.1-2	205	235	440	280	432	466	252	304	355	518	68	150	180	350	286	314	332	3	34	13x18	
315	2.2-2	230	260	515	280	480	518	282	342	400	578	68	200	180	405	320	356	380	1	38	13x18	
355	3-2	254	294	559	355	548	578	318	385	450	654	68	200	210	462	362	397	420	4	30	13x18	
400	5.5-2	280	320	614	355	612	650	360	433	504	736	70	230	280	544	410	438	464	4	38	13x18	
450	1.5-4	310	350	644	530	681	726	404	487	562	827	70	230	180	446	457	490	520	4	45	13x18	
500	2.2-4	340	390	694	530	771	800	448	543	632	918	70	230	210	507	506	546	570	2	29	13x18	
560	4-4	378	428	732	530	844	892	502	605	712	1030	70	230	280	530	570	600	636	5	48	13x18	
630	7.5-4	440	490	794	530	945	1012	564	681	800	1157	70	230	280	663	641	680	710	6	67	13x18	
710	7.5-4	490	540	844	630	1057	1134	636	767	902	1302	70	230	280	689	709	762	800	7	77	17x22	4-φ13
800	7.5-4	540	590	894	710	1180	1272	714	864	1003	1468	80	230	280	750	801	860	900	7	92	17x22	
900	7.5-4	600	650	944	800	1319	1427	804	972	1120	1648	80	230	280	855	906	966	1006	7	108	17x22	
1000	7.5-4	665	715	1019	900	1450	1559	884	1068	1250	1810	80	230	280	1041	1016	1074	1110	9	109	17x22	

**不同品牌的电机长度不同 “*m” 不同 Different motor band the dimension “*m” is different

5.TAS-RFC2结构尺寸（不含底座）


5. TAS-RFC2 installation dimension (Without basic frame)



Model	A	B	D1	D2	D3	n-d	E1	E2	E3	UxS	F1	F2	F3	G1	G2	h1	h2	L	W	W1	W2	d	t	z	P
280	355	205	286	314	332	6-φ10	280	/	235	13x18	318	308	208	432	518	211	251	390	616	62	524	25	8	28.3	40
315	400	230	320	356	380	6-φ10	280	/	260	13x18	282	292	220	432	578	235	282	414	655	63	563	25	8	28.3	40
355	450	254	362	397	420	8-φ10	355	/	294	13x18	351	389	240	480	654	265	318	457	721	70	632	30	8	33.3	50
400	504	280	410	438	464	8-φ10	355	/	320	13x18	371	403	240	548	736	299	360	484	751	70	660	30	8	33.3	50
450	562	310	457	490	520	8-φ10	530	/	350	13x18	385	407	300	612	827	336	404	536	838	88	729	35	10	38.3	70
500	632	340	506	546	570	8-φ10	530	/	390	13x18	402	402	300	681	918	375	448	550	877	86	760	35	10	38.3	70
560	712	378	570	600	636	8-φ12	530	250	428	13x18	444	444	300	771	1030	420	502	633	965	90	854	40	12	43.3	70
630	800	440	641	680	710	8-φ12	530	280	490	13x18	510	460	330	844	1157	472	564	698	1009	90	898	40	12	43.3	70
710	902	490	709	762	800	12-φ13	630	315	540	17x22	510	510	390	945	1302	530	636	763	1140	110	1008	45	14	48.5	90
800	1003	540	801	860	900	12-φ13	710	355	590	17x22	630	584	394	1057	1468	599	714	821	1211	110	1070	45	14	48.5	90
900	1120	600	906	966	1006	12-φ13	800	400	650	17x22	717	648	456	1180	1648	670	804	907	1356	120	1205	55	16	59	90
100	1250	665	1016	1074	1110	12-φ13	900	450	715	17x22	760	760	456	1319	1810	735	884	974	1434	120	1296	55	16	59	90

6.TAS-RFC2结构尺寸（包含底座）

6.TAS-RFC2 Installation Dimension (Include basic frame)



Model	A	B	D1	D2	D3	n1-d1	n2-d2	E1	E2	E3	E4	E5	E6	E7	H1	H2	H3	h1	h2	h3	L1	L2	W	W1	d	t	z	P
280	355	205	286	314	332	6-φ10	4-φ14	800	600	/	524	494	/	685	593	568	516	261	357	301	390	885	616	62	25	8	28.3	40
315	400	230	320	356	380	6-φ10	4-φ14	900	700	/	563	533	/	800	655	628	568	285	393	332	414	1000	655	63	25	8	28.3	40
355	450	254	362	397	420	8-φ10	4-φ14	1000	800	/	632	602	/	900	728	704	628	315	439	368	457	1100	721	70	30	8	33.3	50
400	504	280	410	438	464	8-φ10	4-φ14	1100	900	/	655	625	/	1000	811	786	700	349	487	410	484	1200	751	70	30	8	33.3	50
450	562	310	457	490	520	8-φ10	4-φ14	1200	1000	/	724	694	/	1160	902	877	776	386	541	454	536	1360	838	88	35	10	38.3	70
500	632	340	506	546	570	8-φ10	4-φ14	1280	1080	/	760	720	/	1250	1006	981	863	425	606	511	550	1450	877	86	35	10	38.3	70
560	712	378	570	600	636	8-φ12	6-φ14	1400	1200	600	850	810	700	1400	1116	1093	955	470	673	565	633	1600	965	90	40	12	43.3	70
630	800	440	641	680	710	8-φ12	6-φ14	1540	1340	670	896	853	775	1550	1244	1220	1061	522	748	627	698	1750	1009	90	40	12	43.3	70
710	902	490	709	762	800	12-φ13	6-φ18	1700	1500	750	1006	963	875	1750	1405	1382	1200	580	852	716	763	1950	1140	110	45	14	48.5	90
800	1003	540	801	860	900	12-φ13	6-φ18	1850	1650	825	1068	1025	950	1900	1571	1548	1334	649	949	794	821	2100	1211	110	45	14	48.5	90
900	1120	600	906	966	1006	12-φ13	6-φ18	1950	1750	875	1208	1160	1050	2100	1770	1748	1508	720	1078	904	907	2300	1356	120	55	16	59	90
100	1250	665	1016	1074	1110	12-φ13	6-φ18	2060	1860	930	1290	1243	1110	2220	1931	1910	1640	785	1175	984	974	2420	1434	120	55	16	59	90